## Heat Pump Quick Guide, EasyAce

Document		esignation		
Heat pump quick quide				
Heat pump user manual	M8004 (34793603*)			
*Finnish version only				
Connecting your Android device to the heat pump				
Get IT ON EasyAce				
1. Enter the Unit ID.	2. Read the Terms of Service.	3. Accept the <i>Terms of Service</i> .		
EasyAce Your Unit ID CONTINUE Each heat pump has a unique Unit ID. Either type in the ID or scan the heat pump's QR code with a camera. The ID is on the heat pump's front panel.	EasyAce To continue, you will need to read and approve the apps Privacy Policy READ TERMS OF SERVICE ACCEPT DO NOT ACCEPT Read the Terms of Service. Return by tapping the top left or right corner.	Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Colspan		
4. Connect EasyAce to the heat	5. Select the connection type.	6. Give the password.		
<ul> <li>pump's Wi-Fi network.</li> <li>Skip if you selected Cloud as the connection type.</li> <li>Exit the app, and connect your mobile device to the heat pump's Wi-Fi network.</li> <li>Connect your device exactly as you would connect to any other Wi-Fi network.</li> <li>The name and password for the Wi-Fi network are on the unit's front panel.</li> </ul>	EasyAce Select connection type for EasyAce LOCAL CONNECTION CLOUD CONNECTION LOCAL & CLOUD If you select Cloud connection or Local & Cloud, the heat pump needs to be connected to the internet. 8 Enter the Connection ID	EasyAce Please enter connection password for EasyAce Password CONTINUE The password is on the unit's front panel.		
7. Skip by tapping Continue.	8. Enter the Connection ID.	9. Name your heat pump.		
EasyAce Enter network address and port of EasyAce IP or DNS name 192.168.17.11 Network port (1=65535, default: 80 80 FIND CONTINUE This screen is not shown when	EasyAce Enter the Connection ID of your EasyAce unit Connection ID (H-1234-1234) H-1234-1234 CONTINUE The Connection ID is retrieved automatically. Tap Continue. • This screen is not shown when using a Local	EasyAce <u>EasyAce</u> <u>Name your unit</u> Give a name to your unit so you can easily distinguish it if you add more units to the app later <u>CONTINUE</u> Tap Continue. The connection between your device and the heat		
using a Cloud connection.	connection	pump has now been established.		



## How to change the language



## Home view – Overview



EasyAce Home view ver. 3

Color codes for operating modes			
Operating mode	Color		
Reduced	Green		
Normal	Grey		
Boost	Red		

## Icons used in the Home view

Space heating	Domestic hot water heating	The unit is on standby and ready to start
In-line heater on	Increase or decrease heating	Error condition
4		$\bigwedge$
In case of an error, check the alarms by tapping the Error icon. If necessary, contact a repair service or Oilon customer services.		